

model 60410/60410-SS **SINGLE - POINT PLATFORM LOAD CELL**



FEATURES :

- ❖ Single Point Capability for Platform Scale
- ❖ Minimum Error for Off-Centre loading
- ❖ Supports the Pan size of 750 x 750 (mm)
- ❖ Low Profile
- ❖ 100kgf. to 1500 Kgf. Capacities.
- ❖ Compact and Light Weight
- ❖ **Also available in Stainless Steel Construction - Model - 60410-SS, suitable for hygienic applications like Food, Dairy & Pharmaceutical Industries**

APPLICATIONS :

- ❖ Medium Size Platform Scales
- ❖ Bag Weighing
- ❖ Hopper Weighers



ADI ARTECH
TRANSDUCERS PVT. LTD.

A Joint venture with
ARTECH INDUSTRIES INC., U.S.A.


DESCRIPTION :

Model 60410/60410-SS is a Strain Gage based low profile bending beam Load Cell and is ideal for precision single point platform scale applications. It is designed for eccentric load sensitivity. Its tool steel Construction is very rugged to withstand shock loads. **It is also Provided in Hardenable Stainless Steel-17-4 PH**



PERFORMANCE SPECIFICATION :

Standard Capacities (Kgf.)	: 100, 150, 200, 300, 500, 750, 1000, 1500
Excitation Voltage	: 10 VDC-Maximum 15 VDC
Nominal Output	: 2.0 mV/V
Non - Linearity	: < ± 0.025 % FSO (Full Scale Output)
Hysteresis	: < ± 0.02 % FSO
Non-Repeatability	: < ± 0.01% FSO
Creep (30 minutes)	: < ±0.03 % FSO
Zero Balance	: ± 1.0 % FSO
Input Resistance	: 390 ± 15 Ohms
Output Resistance	: 350 ± 3 Ohms
Insulation Resistance	: > 1000 Mega Ohms at 50 VDC
Safe Overload	: 150 % of Rated Capacity
Ultimate Overload	: 250 % of Rated Capacity
Temperature	: 0-60° C
Compensated Range	
Temperature Effect on Output	: < 0.0015 % FSO/ °C
Temperature Effect on Zero	: < 0.0020 % FSO/ °C
Platter Size	: 750 mm x 750 mm
Eccentric Load Effect	: < 0.02 % of FSO at 1/3 rated load placed within 375mm radius from center of Load Cell
Deflection	: < 0.5mm at FSO
Tightening Torque	: 5 m. kg.
Finish & Construction	: 60410 - Electroless Nickel Plated Tool Steel 60410-SS - Hardenable Stainless Steel-17-4 PH
Environmental Protection Class	: IP65

ELECTRICAL TERMINATION



4 CORE SCREENED CABLE - 3 mtrs.



TOP VIEW

All dimensions are in mm.

ORDER INFORMATION :

ADI ARTECH is dedicated in maintaining adequate inventories of its Load Cells to provide the best service in the industry.

Order by the model number and indicate the capacity required.

Specifications are subject to change without notice

	Manufactured by :	917/1, G.I.D.C. ESTATE, MAKARPURA, VADODARA - 390 010 (INDIA)
	ADI ARTECH	Phone : 2655083/2651023
	TRANSDUCERS PVT. LTD.	FAX : (91) 0265-2638751
	A Joint venture with ARTECH INDUSTRIES INC., U.S.A.	E-mail : sales@adiartech.com artechad1@sancharnet.in
		Website : www.adiartech.com

QUALITY * PERFORMANCE * SERVICE
“A PREFERRED NAME IN LOAD CELL TECHNOLOGY”